

	INITIAL AS	SESSMENT	FORM				
1 SITE NAME AND LOCAT	ION						-
01 SITE NAME CFA Diesel Tank at CFA-	674 (south)					nal Engin	eering
03 CITY Scoville	04	STATE Idaho	05 ZI	P CODE		JNTY Butte	
09 COORDINATES: NORTH 6 7 7 9 6	EAS1	3 4 0	07 CC	OUNTY CO	DDE 08	CONG. DI	ST.
10 DIRECTIONS TO SITE (Starting from nearest public road) From US 20: NW on Portland Ave; W on East Ogden Ave; SW on Nevada St.							
II. OWNER/OPERATOR							
01 OWNER (If known) Department of Energy	(DOE)	02 STREE 785 I	T ADI				
03 CITY Idaho Falls		04 STATE Idaho		ZIP COI 33402		relephone (208) 526	The state of the s
07 OPERATOR (If known) TG&G Idaho, Inc.		08 STREE					
0> CITY Idaho Falls		10 STATE		ZIP COI		TELEPHONE (208) 526	
III. CHARACTERIZATION O	F POTENTIAL	HAZARD					
01 ON SITE INSPECTION	YES	xx NO	DATE	3 <u> </u>			
02 SITE STATUS (Check o	•	e C.	Unkno		YEARS I none	RECEIVED Stop	HAZ WASTE Unknown
04 DESCRIPTION OF SUBST See Waste Information		BLY PRESI	ENT, I	CNOWN,	OR ALL	EGED	
05 DESCRIPTION OF POTEN See Hazardous Condition				T AND/	OR POP	ULATION	
IV. INFORMATION AVAILAB	LE FROM						- Augustus and the second and the se
01 CONTACT Clifford Clark	02 OF (Agend DOE-			0:		PHONE NUM 526-1122	
04 PERSON RESPONSIBLE FOR ASSESSMENT Terry Alexander	05 AGEI EG&0		06 OI			ELEPHONE 208) 526-	
ATE  10/08/86  Mon Day Year						-	

<sub>d</sub> lt·	WASTE INFORMATION							
WASTE	STATES, QUANTITIE	Es, AND C	CHARACT	ERISTICS				
A. Solid B. Powdd C. Sludd	CICAL STATES (Check all that apply) OldE. Slurry Owder Fines xxF. Liquid TONS CudgeG. Gas CUBIC YARDS							
03 WASTE (A. ToxioB. CorroC. Radio	O3 WASTE CHARACTERISTICS (Check all that apply)  _A. ToxicD. Persistent xxG. FlammableJ. Explosive  _B. CorrosiveE. SolubleH. IgnitableK. Reactive  _C. RadioactiveF. InfectiousI. Highly VolatileL. Incompatible M. Not Applicable							
II. WAST	E TYPE							
CATEGORY SUBSTANCE NAME 01 GROSS AMOUNT 02 SLU Sludge 01					GA	diesel fuel		
- HAZA	RDOUS CONSTITUENTS	3		-				
01 CATEGO	RY 02 SUBSTANCE NAME  NAME  CES OF INFORMATION	03 CAS NUMBI		4 STOR/DISF METHOD	O5 CONG	C. 06 MEASURE		

SOURCES OF INFORMATION

<u>Use specific references, e.g., state titles, sample analysis reports, etc.)</u>

Site inspections, personnel interviews, process records, laboratory records.

	HAZARDOUS CONDITIONS AND INCIDENTS
1	HAZARDOUS CONDITIONS AND INCIDENTS
	A. GROUNDWATER CONT. 02 OBSERVED (Date) POTENTIAL NARRATIVE DESCRIPTION: ALLEGED
	Not Applicable
	B. SURFACE WATER CONT. O2 OBSERVED (Date) POTENTIAL NARRATIVE DESCRIPTION: ALLEGED
	Not Applicable
	C. CONTAMINATION OF AIR
	Not Applicable
	D. FIRE/EXPLOSIVE CONDITIONS 02 OBSERVED (Date) POTENTIA POPULATION POTENTIALLY AFFECTED04 NARRATIVE DESCRIPTION ALLEGED
	Not Applicable
	E. DIRECT CONTACT 02 OBSERVED (Date) POTENTIAL POPULATION POTENTIALLY AFFECTED04 NARRATIVE DESCRIPTION ALLEGED
	Not Applicable
	XX F. CONTAMINATION OF SOIL 02 OBSERVED (Date) XX POTENTIAL NARRATIVE DESCRIPTION: ALLEGED
	ere is a potential for soil contamination around the tank if leakage has cured. There is no evidence of leakage at this time.
	G. DRINKING WATER CONTAMINATION 02 OBSERVED (Date) POTENTIAL NARRATIVE DESCRIPTION: ALLEGED
	Not Applicable

	HAZARDOUS CONDITIONS AND INCIDENTS
	HAZARDOUS CONDITIONS AND INCIDENTS (Continued)
	J. DAMAGE TO FLORA 02 OBSERVED (Date) POTENTIAL NARRATIVE DESCRIPTION: ALLEGED Not Applicable
01 04	K. DAMAGE TO FAUNA 02 OBSERVED (Date) POTENTIAL NARRATIVE DESCRIPTION: (include name(s) of species) ALLEGED Not Applicable
	L. CONTAMINATION OF FOOD CHAIN 02 OBSERVED (Date) POTENTIAL NARRATIVE DESCRIPTION: ALLEGED Not Applicable
(SF	M. UNSTABLE CONTAINMENT OF WASTES 02 OBSERVED (Date)POTENTIAL PILL RUNOFF, STANDING LIQUIDS/LEAKING DRUMS)  NARRATIVE DESCRIPTION: ALLEGED  Not Applicable
	_ N. DAMAGE TO OFFSITE PROPERTY 02 OBSERVED (Date) POTENTIAL ARRATIVE DESCRIPTION: ALLEGED Not Applicable
	O. CONTAMINATION OF SEWERS,STORM 02OBSERVED(Date)POTENTIAL DRAINS, WWTPS  NARRATIVE DESCRIPTION:ALLEGED Not Applicable
	P. ILLEGAL/UNAUTHORIZED DUMPING 02 OBSERVED (Date) POTENTIAL NARRATIVE DESCRIPTION: ALLEGED Not Applicable
05	DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL OR ALLEGED HAZARDS Not Applicable
III	I. COMMENTS NONE
1	. SOURCES OF INFORMATION (List specific references, e.g., state titles, sample analysis, reports) inspections, personnel interview, disposal quantity records, EG&G-WM-6875 callation Assessment Report, USGS Report IDO-22053 TID-4500 The Influence Liquid Waste Disposal on the Geochemistry of Water at the NRTS.

PRIORITY RANKING SYSTEM -
I. GENERAL FACILITY INFORMATION
FACILITY NAME: CFA Diesel Tank at CFA -674 (South)  LOCATION: INEL  POINT OF CONTACT: NAME: C1. Hord Clark  ADDRESS: 785 DOE PL. Idoha Falls, IN
PHONE: 208-526-1122
REVIEWER: M.L. Saint-Louis DATE: 10-17-86
II. GENERAL FACILITY DESCRIPTION
GENERAL DESCRIPTION OF THE FACILITY: (For example: landfill, surface coundment, pile, container; types of hazardous substances; location of sility; contamination route of major concern; types of information needed for rating; agency action, etc.)  This underground Storage tank contains diesel fuel oil.  Centamination route of primary concern is groundwater
III. SCORES
SM = 3.2 (Sgw = 5.6 Ssw = 0 Sa = 0) $SFE = 0$ $SDC = 0$

GROUND WATER ROUTE WORKSHEET							
RATING FACTOR	MULTI- PLIER	SCORE	MAX. SCORE	REF. Section			
					3.2		
1.ROUTE CHARACTERISTICS Depth to Aquifer of	§ (6)1 2 3	2	Ð	6			
Concern Net Precipitation Permeability of the		1	٥ 2	3			
Unsaturated Zone Physical State	0 1 2 3	1	3	3			
Total Route		5	15				
2.CONTAINMENT	0 1 2 3	1	1	3	3.3		
3.WASTE CHARACTERISTICS Toxicity/Persistence Tazardous Waste Quantity	Tazardous Waste 0(1)2 3 4 5 6 7 8			18	3.4		
Total Waste	Characteristics Score		13	26			
4. Multiply lines 1 >		65-	1170				
5. Divide line 4 by 1170 and multiply by 100 Sgw= りん							

SURFACE WATER ROUTE WORKSHEET							
RATING FACTOR	MULTI- PLIER	SCORE	MAX. SCORE	REF. Section			
1.ROUTE CHARACTERISTICS					4.2		
Facility Slope and Intervening Terrain	0 1 2 3	1	6	3			
1-yr. 24-hr. Rainfall Distance to Nearest Surface Water	0 (1) 2 3 (0) 1 2 3	1 2	D	3 6			
Physical State	0 1 2 (3)	1	3	3			
Total Route		4	15				
2.CONTAINMENT	0 1 2 3	1	O	3	4.3		
3.WASTE CHARACTERISTICS Toxicity/Persistence Hazardous Waste Quantity	1	12	18	4.4			
Total Waste	Characteristics Score		13	26			
4. Multiply lines 1 x		6	1170				
5. Divide line 4 by 1170 and multiply by 100 Ssw=							

		AIR ROUTE WORKSHI	EET				
RATING	FACTOR	ASSIGNED VALUE (Circle one)	MULTI- PLIER	SCORE	MAX. SCORE	REF. Section	
1.HISTORIC	RELEASE	1	P	45	5.1		
Date and	Location:	See attached supplement	pages'				
If line l	is 0, the S	Sa = 0. Enter on line !	5.				
If line 1	is 45, ther	proceed to line 2.					
Reactivity		0 1 2 3	1		3	5.2	
Incompat Toxicity Hazardous Quantity		0 1 2 3 0 1 2 3 4 5 6 7 8	3		9 8		
	Total Waste	Characteristics Score			20		
TARGETS opulation	within	0 9 12 15 18 21 2- 27 30	4 1		30	5.3	
	o Sensitive		2		6		
Environm Land Use	ent	0 1 2 3	1		3		
	Total Targe	et Scores			39		
4. Multiply lines 1 x 2 x 3 35100							
5. Divide line 4 by 35100 and multiply by 100 Sa = 0							

•	s	2 S
GROUNDWATER ROUTE SCORE (Sgw)	5.6	31,36
SURFACE WATER ROUTE SCORE (Ssw)	Q	70
AIR ROUTE SCORE (Sa)	0	0
2 2 2 Sgw + Ssw + Sa		31.36
2 2 2 SQR(Sgw + Ssw + Sa)		5,6
2 2 2 SQR(Sgw + Ssw + Sa)/1.73 = SM		3.2

### DOCUMENTATION RECORDS FOR HAZARD RANKING SYSTEM

INSTRUCTIONS: As briefly as possible, summarize the information you used to assign the score for each factor (e.g., "Waste quantity = 4,230 drums plus 800 cubic yards of sludges"). The source of information should be provided for each entry and should be a bibliographic-type reference. Include the location of the document.

FACILITY NAME: CFA Diesel Pank af CFA -674 (South)
LOCATION: INEC
DATE SCORED: 10-17-86
PERSON SCORING: H, L. Saint -Louis
PRIMARY SOURCE(S) OF INFORMATION: Site inspection and personnel interview
FACTORS NOT SCORED DUE TO INSUFFICIENT INFORMATION:

COMMENTS OR QUALIFICATIONS:

### GROUNDWATER ROUTE

 OBSERVED RELEASE - Undertake Corrective Action Contaminants detected (3 maximum):

None

Rationale for attributing the contaminants to the facility:

### 2. ROUTE CHARACTERISTICS

### Depth to Aquifer of Concern

Name/description of aquifer(s) of concern:
The Snake River Plain agus for which flows ber the INEL is approximately 9600 m². Subsurface Consist of alternating layers of basalt and silt Depth(s) from the ground surface to the highest seasonal level of the saturated zone [water table(s)] of the aquifer of concern:

~ soo feet

Depth from the ground surface to the lowest point of waste disposal/storage:

~ 480 feet

\*\* 3788

### Net Precipitation

Mean annual or seasonal precipitation (list months for seasonal):

9.07 inches

Mean annual lake or seasonal evaporation (list months for seasonal):

36 inches

Net precipitation (subtract the above figures):

- 26.93 inches

### Permeability of Unsaturated Zone

Soil type in unsaturated zone:

An interbedded sequence of basaltic lava flows and sedimentary deposits.

Permeability associated with soil type:

 $10^{-7}$  to  $10^{-3}$  cm/sec

### Physical State

Physical state of substances at time of disposal (or at present time for generated gases):

Liquid

#### CONTAINMENT

### Containment

Method(s) of waste or leachate containment evaluated:

Seuled underground container

Method of highest score:

Sealed underground container

### 4. WASTE CHARACTERISTICS

### Toxicity and Persistence

Compound(s) evaluated:

diesel Juel

Compound with highest score:

diesel fuel

### Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (Give a reasonable estimate even if quantity is above maximum):

300 gal

Basis of estimating and/or computing waste quantity:

Based on tankis holding Capacity

# Checklist for Groundwater Releases

			No.		
<u>I de</u>	ntify	ing R	elease	<u>Yes</u>	<u>No</u>
1.	Pote	ntial	for Groundwater Releases from the Unit		
	0	Unit	type and design		
		-	Does the unit type (e.g., land-based) indicate the potential for release?	400.000.000	$\angle$
		-	Does the unit have engineered structures (e.g., liners, leachate collection systems, proper construction materials) designed to prevent releases to groundwater?	<u> </u>	
	0	Unit	operation		
		-	Does the unit's age (e.g., old unit) or operating status (e.g., inactive, active) indicate the potential for release?	<del>_</del> X	
			Does the unit have poor operating procedures that increase the potential for release?	**************************************	<u> </u>
		-	Does the unit have compliance problems that indicate the potential for a release to groundwater?	****	<u>&gt;</u>
	0	Phys	ical condition		•
		, <del>-</del>	Does the unit's physical condition indicate the potential for release (e.g., lack of structural integrity, deteriorating liners, etc.)?		×
	0	Loca	tional characteristics		
		-	Is the unit located on permeable soil so the release could migrate through the unsaturated soil zone?	$\nearrow$	_
		-	Is the unit located in an arid area where the soil is less saturated and therefore a release has less potential for downward migration?	X	**********
·		••	Does the depth from the unit to the uppermost aquifer indicate the potential for release?		<u>×</u>

### Checklist for Groundwater Releases

				<u>Yes</u>	<u>No</u>
		-	Does the rate of groundwater flow greatly inhibit the migration of a release from the facility?	<u>K</u>	
		-	Is the facility located in an area that recharges surface water?	<u> </u>	
	o	Wast	e characteristics	•	
		-	Does the waste in the unit exhibit high or moderate characteristics of mobility (e.g., tendency not to sorb soil particles or organic matter in the unsaturated zone)?		<b>太</b>
	v	-	Does the waste exhibit high or moderate levels of toxicity?	<u>X</u>	
2.	<u>Evid</u>	ence	of Groundwater Releases		
	0	Exis	ting groundwater monitoring systems		
		-	Is there an existing system?	<u> </u>	
		-	Is the system adequate?		<u>_k</u>
		-	Are there recent analytical data that indicate a release?		_×
	o	Othe	r evidence of groundwater releases		
		-	Is there evidence of contamination around the unit (e.g., discolored soils, lack of or stressed vegetation) that indicates the potential for a release to groundwater?	_	<u>×</u>
		-	Does local well water or spring water sampling data indicate a release from the unit?		$\geq$
			he Relative Effect of the Release on Human		
nea			e Environment_		
1.	Expo	sure	Potential		
	0	Cond	itions that indicate potential exposure		
		-	Are there drinking water well(s) located near the unit?	<u> </u>	
		-	Does the direction of groundwater flow indicate the potential for hazardous constituents to migrate to drinking water wells?	<u> </u>	

### SURFACE WATER ROUTE

# 1. OBSERVED RELEASE - Undertake Corrective Action

Contaminants detected in surface water at the facility or downhill from it (3 maximum):

None

Rationale for attributing the contaminants to the facility:

#### 2. ROUTE CHARACTERISTICS

### Facility Slope and Intervening Terrain

Average slope of facility in percent:

, less than 196

Name/description of nearest downslope surface water:
The Big Lost River flows north-west through the
INEL. The average discharge of record is
208,000 acre-feet/ year

Average slope of terrain between facility and above cited surface water body in percent:

Jess than 190

Is the facility located either totally or partially in surface water?

No

Is the facility completely surrounded by areas of high elevation?

Yes

1-year 24-Hour Rainfall in Inches

less than 2 inches

Distance to Nearest Downslope Surface Water

23 miles

Physical State of Waste

Li quid

3. CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

Sealed underground container

Method with highest score:

same as above

# Checklist for Surface Water/Surface Drainage Releases

				<u>Yes</u>	<u>No</u>
<u>I de</u>	ntify	ing Re	eleases		
1.			for Surface Water/Surface Drainage Release Facility		
	0		imity to Surface Water and/or to Off-site		
		-	Could surface run-off from the unit reach the nearest downgradient surface water body?		$\overline{}$
		-	Could surface run-off from the unit reach off-site receptors (e.g., if facility is located adjacent to populated areas and no barrier exists to prevent overland surface run-off migration)?		<u> </u>
	0	Relea	ase Migration Potential		1
		-	Does the slope of the facility and intervening terrain indicate potential for release?		<u>×</u>
		-	Is the intervening terrain characterized by soils and vegetation that allow overland migration (e.g., clayey soils, and sparse vegetation)?		<u>×</u>
		-	Does data on one-year 24-hour rainfall indicate the potential for area storms to cause surface water or surface drainage contamination as a result of run-off?	_	<u> </u>
	0	Unit	Design and Physical Condition		
		-	Are engineered features (e.g., run-off control systems) designed to prevent release from the unit?	<u>×</u>	
		•••	Does the operational history of the unit indicate that a release has taken place (e.g., old, closed or inactive unit, not inspected regularly, improperly maintained)?	-	<u>×</u>
		-	Does the physical condition of the unit indicate that releases may have occurred (e.g., cracks or stress factures in tanks or erosion of earthen dikes of surface impoundments)?		<u>x</u>

# Checklist for Surface Water/Surface Drainage Releases

			<u>Yes</u>	<u>No</u>
	o	Waste Characteristics		
		<ul> <li>Is the volume of discharge high relative to the size and flow rate of the surface water body?</li> </ul>	-	×
		Do constituents in the discharge tend to sorb to sediments (e.g., metals)?	_×_	***************************************
		Do constituents in the discharge tend to be transported downstream?	$\rightarrow$	Secretary Comments
		<ul> <li>Do waste constituents exhibit moderate or high characteristics of persistence (e.g., PCBs, dioxins, etc.)?</li> </ul>		×
		<ul> <li>Do waste constituents exhibit moderate or nigh characteristics of toxicity (e.g., metals, chlorinated pesticides, etc.)?</li> </ul>		
2.	Evid	ence of Surface Water/Surface Drainage Releases		
	0	Are there unpermitted discharges from the facility to surface water that require an NPDES or a Section 404 permit?	-	<u>×</u>
	0	Is there visible evidence of uncontrolled run-off from units at the facility?	· ——	X
		ing the Relative Effect of the Release on Human nd the Environment		`
1.	0	Are there drinking water intakes nearby?	<u>X</u> ,	
	0	Could human and/or environmental receptors come into contact with surface drainage from the facility?	- Allein ein bei	_×_
	o	Are there irrigation water intakes nearby?	X.	
	0	Could a sensitive environment (e.g., critical habitat, wetlands) be affected by the discharge (if it is nearby)?		<u>×</u>

1.	OBSERVED	RELEASE

Contaminants detected:

None

Date and Location of detection of contaminants:

Methods used to detect the contaminants:

Rationale for attributing the contaminants to the site:

### 2. WASTE CHARACTERISTICS

Reactivity and Incompatibility

Most reactive compound:

None

Most incompatible pair of compounds:

None

### <u>Toxicity</u>

Most toxic compound:

Dierel Juel

# Hazardous Waste Quantity

Total quantity of hazardous waste:

300 gal.

Basis of estimating and/or computing waste quantity:

See page 4

# Checklist for Air Releases

			<u>Yes</u>	<u>No</u>
<u>Ide</u>	ntify	ing Releases		
1.	Pote	ential for Air Releases from the Facility		
	0	Unit Characteristics		
		Is the unit operating and does is expose waste to the atmosphere?	<del>-, '- ====</del> +	<u> </u>
		Does the size of the unit (e.g., depth and surface area) create a potential for air release?	- normanian	<u> </u>
	0	Does the unit contain waste that exhibits a moderate or high potential for vapor phase release?		
		- Does the unit contain hazardous constitu- ents of concern as vapor releases?		X
		Do waste constituents have a high potential for volatilization (e.g., physical form, concentrations, and constituent-specific physical and chemical parameters that contribute to volatilization)?		<u> </u>
,	0	Does the unit contain waste and exhibit site conditions that suggest a moderate or high potential for particulate release?		
		Does the unit contain hazardous constituents of concern as particulate releases?	····	<u> </u>
		- Do constituents of concern as particulate releases (e.g., smaller, inhalable particulates) have potential for release via wind erosion, reentrainment by moving vehicles, or operational activities?	-	<u> </u>
		<ul> <li>Are particulate releases comprised of small particles that tend to travel off-site?</li> </ul>		
	o	Do certain environmental and geographic factors affect the concentrations of airborne contamina	nts?	
		Do atmospheric/geographic conditions limit constituent dispersion (e.g., areas with atmospheric conditions that result in inversions)?		×
		- Is the facility located in a hot, dry area	? 🔼	

### Checklist for Air Releases

			<u>Yes</u>	No
2.	Evide	ence of Air Releases		
	0	Does on-site monitoring data show that releases have occurred or are occurring (e.g., OSHA data)?		<u>×</u>
	0	Have particulate emissions been observed at the site?		<u>χ</u>
	0	Have there been citizen complaints concerning odors or observed particulate emissions from the site?	*****	X
		ng the Relative Effect of the Release on Human		
1.	Expos	sure Potential		
	0	Is a nonulated area located near the site?	$\lambda$	

# Checklist for Subsurface Gas Releases

			<u>Yes</u>	<u>No</u>
<u>Ide</u>	ntify	ring a Release		
1.	Pote	ential for Subsurface Gas Releases		
	0	Does the unit contain waste that generates methane or generates volatile constituents that may be carried by methane (e.g., decomposable refuse/volatile organic wastes)?		<u>×</u>
	o	Is the unit an active or closed landfill or a unit closed as a landfill (e.g., surface impoundments and waste piles)?		<u>×</u>
2.		ration of Subsurface Gas to On-site or Off-site dings	•	
	0	Are on-site or off-site buildings close to the unit?	<u> </u>	<del></del>
	0	Do natural or engineered barriers prevent gas migration from the unit to on-site or off-site buildings (e.g., low soil permeability and porosity hydrogeologic barriers/liners, slurry walls, gas control systems)?		<u>&gt;</u>
	0	Do natural site characteristics or man-made structures (e.g., underground power trans-mission lines, sewer pipes/sand and gravel lenses) facilitate gas migration from the unit to buildings?		<u> </u>
		ing the Relative Effect of the Release on Human and the Environment		
1.	Expo	sure Potential		
	0	Does building usage (e.g., residential, commercial) exhibit high potential for exposure?		K

#### FIRE AND EXPLOSION

1	CONTA	INMENT

Hazardous substances present:

Diesel Juel.

Type of containment, if applicable:

Seuled underground container

### 2. WASTE CHARACTERISTICS

### Direct Evidence

Type of instrument and measurements:

NA

# Ignitability

Compound used:

Diesel Juel

### Reactivity

Most reactive compound:

Mone

# **Incompatibility**

Most incompatible pair of compounds:

None

### Hazardous Waste Quantity

Total quantity of hazardous substances at the facility:

300 gal

Basis of estimating and/or computing waste quantity:

See page 4

#### 3. TARGETS

Distance to Nearest Population

less than 10 feet

Distance to Nearest Building

Less than 10 feet

Distance to Sensitive Environment

Distance to wetlands:

Greater than 100 feet

Distance to critical habitat:

Greater than 1/2 mile

### Land Use

Distance to commercial/industrial area, if 1 mile or less:

The INEL is a research facility. There are no commercial/industrial facilities within 1 mile.

Distance to national or state park, forest, or wildlife reserve, if 2 miles or less:

Greater than 2 miles

Distance to residential area, if 2 miles or less:

Greater than 2 miles

Distance to agricultural land in production within past 3 years, if 1 mile or less:

Greater than 1 mile

Distance to prima agricultural land in production within past 3 years, if 2 miles or less:

Greater than 2 miles

.If a historic or landmark site (National Register or Historic Places and National Natural Landmarks) within the view of the site?

Big Southern Builte

### Population Within 2-Mile Radius

1214

### Buildings Within 2-Mile Radius

42 occupied CFA Buildings

#### DIRECT CONTACT

_				***	
1.	OBS	ERV	FD	INC	IDENT

Date, location, and pertinent details of incident:

None

#### ACCESSIBILITY

Describe type of barrier(s):

24 hour surveillance system by INEL personnel.

#### CONTAINMENT

Type of containment, if applicable:

Scaled container

#### 4. WASTE CHARACTERISTICS

Toxicity

Compounds evaluated:

diesel juel

Compound with highest score:

diesel Juel.

# 5. TARGETS

# Population within one-mile radius

1214

# Distance to critical habitat (of endangered species)

Greater than 1 mile